

# **Product Name : DAVANA OIL**

Print Date: 13-Apr-2023

SECTION 1: Identification of the substance/mixture and of the Company/undertaking

#### 1.1 **Product Identifiers**

Product Code	:	UL1006969
Product Name	:	DAVANA OIL
CAS No. (TSCA)	:	8016-03-3
EINECS	:	295-155-6

1.2 Relevant idetified uses of the substance or mixture and uses advided against No further relevant information available Application of the substance / preparation: Fragrance and Flavour application.

#### 1.3 Manufacturer / Supplier Details:

Ultra International Limited 64/1, Site-IV, Industrial Area, Sahibabad, Ghaziabad, U.P. (India) Tel.: +91 120 4388500 Fax: +91 120 4374000 Email: ultra@ultrainternational.com \* www.ultrainterntional.com

#### 1.4 Information in case of emergency:

Mr. Prasenjit Mazumdar Ph.: +91 9810008844 Email : ultra@ultrainternational.com

### SECTION 2 : Hazard Idetification

#### 2.1 GHS Classification of the substance / preparation

Flam. Liq. 4	H227: Combustible liquid
Skin Mild Irrit. 3	H316: Causes mild skin irritation
Skin Sens. 1	H317: May cause an allergic skin reaction
Aquatic Acute 3	H402: Harmful to aquatic life

2.2 **GHS** Label Elements **GHS Signal Word** Warning

#### Hazard Pictograms



#### Hazard Determining components of Labeling

Ethyl cinnamate; Geranyl acetate

#### Hazard Statements

H227	Combustible liquid
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H402	Harmful to aquatic life

#### Precautionary Statements

P103	Read label before use
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection
P302+350	IF ON SKIN Gently wash with soap and water
P333+313	If skin irritation or a rash occurs Get medical advice/attention
P403+233+410	Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight
P501	Dispose of contents/container to (in accordance with local/ regional/ national/ international regul





### Version : GHS/SDS/04

#### Product Name : DAVANA OIL

#### 2.3 Other Hazard

 The mixture contains no 'Substance of very hig concern' (SVHC) as stiplated by the Europen Chemicals

 Agency (ECHA)
 under Article 57 of the REACH Regulation 1907/2006/EC.

 The mixture does not meet the criteria for PBT/vPvB mixturesin compliance with Annex XIII of REACH

 Regulation
 1907/2006/EC.

 No additional Hazard known if used properly.

### SECTION 3: Composition / Information of Ingredients

## 3.1 General characterisation : Substance

TSCA CAS Number	:	8016-03-3
EINECS CAS Number	:	91844-86-9
Description	:	Artemisia pallens
EINECS Number	:	295-155-6

#### 3.2 Dangerous components :

Ethyl cinnamate(Cas No. 103-36-6)	: Acute Tox. 5 (Oral);H303 Aquatic Acute 2;H401
Geranyl acetate(Cas No. 105-87-3)	: Skin Sens. 1B;H317 Skin Irrit. 2;H315 Aquatic Chronic 3;H412 Aquatic Acute 2;H401

#### 3.4 Additional Informations :

If available, exposure limits are listed in Section 8

# SECTION 4 : First AID Measures

### 4.1 Description of first aid measures

#### General information:

If health disorder happens, call for medical help immediately. Immediately remove any clothing soiled by the product. **After inhalation:** Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation. *After skin contact:* Immediately wash with water and soap and rinse thoroughly. *After eye contact:* Rinse opened eye for several minutes under running water. *After swallowing:* Do not induce vomiting; call for medical help immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

**4.3** Indication of any immediate medical attention and special treatment needed No further relevant information available.





### Version : GHS/SDS/04

Product Name : DAVANA OIL

## **SECTION 5 : Fire Fighting Measures**

## 5.1 Extinguishing media

*Suitable extinguishing agents:* CO2, alcohol resistant foam, powder, water spray. *For safety reasons unsuitable extinguishing agents: Water with full jet* 

### 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) Smoke and soot Do not use water with full jet to prevend fire spreading.

### 5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.
Additional information
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures Follow safety measures in chapter 7 and 8. Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

## 6.3 Methods and material for containment and cleaning up:

Wipe up little amounts with absorbent material like cloth or pulp. Water and cleansing agent Absorb with incombustible liquid-binding material (sand, diatomite, universal binders). Dispose of contaminated material as waste according to item 13.

#### 6.4 Reference to other sections

Keep ignition source away, do not smoke and avoid flames. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.



Print Date: 13-Apr-2023



#### Version : GHS/SDS/04

#### Product Name : DAVANA OIL

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid naked flames, sparking and sources of ignition. Ensure that workrooms are adequately ventilated.

#### Hygiene measures:

Avoid contact with skin and eyes. Remove soiled or soaked clothing immediately. Wash off any contamination that gets onto the skin with plenty of water and soap, skin care. Do not eat, drink or smoke while working.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Temperatures between + 10 °C and + 40 °C Keep container tightly sealed. Keep container in a well ventilated place.

### 7.3. Specific end use(s)

No further relevant information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control Parameters

No data available.

#### 8.2 Exposure controls

# Personal protective equipment:

*General protective and hygienic measures:* Use personal protective equipment depending on concentration and amount of hazardous substance.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

# Respiratory protection:

Suitable respiratory protection: filter class A2 (brown colour).

Use the rules for application of respiratory protection systems.

# Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation

#### Material of gloves

The election of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

> 480 minutes at layerthickness of 0,425 millimeter (Sol-Vex 37-695/Ansell).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

E.g. following product: Sol-Vex (37-695) from Ansell.

As protection from splashes gloves made of the following materials are suitable: PVC gloves



Tightly sealed goggles according to EN 166:2001





Version : GHS/SDS/04

#### Product Name : DAVANA OIL

# SECTION 9: Physical and chemical properties

General Information		
Form	:	Liquid
Colour	:	Brownish Yellow to Brown
Odour	:	Chacateristic
Melting Point °C	:	Not Determined
Boiling Point ° C	:	Not Determined
Flash Point (Closed Cup) °C	:	90°C
Specific Gravity/Relative Density	:	0.917 - 0.960 @25°C
Refractive Index	:	1.479 - 1.501 @20°C
<b>Optical Rotation</b>	:	Not Determined
Vapour Density	:	Not Determined
Vapour Pressure	:	Not Determined
Solubility:		
Water	:	Insoluble
Alcohol	:	Soluble
Auto Ignition Temperature	:	No Data Available
Lower Explosion Limits	:	No Data Available
Upper Explosion Limits	:	No Data Available
pH value	:	Not Determined
Partition Coefficient	:	Not Determined
Granulometry	:	Not Determined
<b>Oxidising Properties</b>	:	Not Determined

#### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No dangerus reactions known

#### 10.2. Chemical stability

The product is chemically stable.

#### 10.3 Thermal decomposition / conditions to be avoided:

No decomposition if used according t the specifications or under recommended conditions of use.

#### 10.4 Possibility of hazardous reactions

Avoid important temperature changes and humid environments. Product is not selfigniting; but in case of unpropitious storing conditions (air admission, heat accumulation) selfignition is possible for moistened solids (e.g. cloth, pulp, filter panels, binder). May react violently with oxidising agents.

- 10. 5 Conditions to avoid No further relevant information available.
- 10.6 Incompatible materials: No further relevant information available.

#### 10.7 Hazardous decomposition products:

No dangerous decomposition products expected by intended use.





Version : GHS/SDS/04

# Product Name : DAVANA OIL

Print Date: 13-Apr-2023

Proa	luct Name : DAVANA OIL	
SEC1	TION 11: Toxicological information	
11.1	Toxicological Information Acute	
	Oral Inhalation Skin	No Data Available No Data Available No Data Available
11.2	Skin Corrosion/skin irritation No data available	
1.3	<b>Eye damage/ eye irritation</b> No data available	
1.4	<b>Respiratory or skin sensitisation</b> No data available	
1.5	<b>Germ cell mutagenicity</b> No data available	
11.6	<b>Carcinogeity</b> No data available	
1.7	<b>Toxicty for reproduction</b> No data available	
1.8	Specific Target Organ Toxicity: Single No data available	exposure
1.9	Specific Target Organ Toxicity: Repeat No data available	ted exposure
1.10 /	Aspiration Hazard	
	No data available	
1.11	<b>Exposure Limits</b> No data available	
Note	: There is a blanket recommendation of i	10 mg/m3 for inspirable dusts or mists when limits have not otherwise been established.
SEC.	TION 12: Ecological information	
12.1	<i>Toxicity</i> Do not leave the product, even diluted o	or in great quantity, penetrate the ground water, water or the drains .
12.2	Persistence and degradability	Not Determined
2.3	Mobility in Soil	Not Determined
12.4	Results of PBT and vPvB assessment	No Data Available

# SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods:

Other adverse effects

12.5

 Product/packaging disposal

 Handle in accordance with official provisions

 Waste treatment options

 Recycling is preferred to disposal or burning

 Disposal conditions

 Dispose of in accordance with all federal, state and local environmental regulations.

Not Determined

### 13.2 Recommendations:

Empty contaminated packing thoroughly as they may be recycled

# SECTION 14: Transport information





## Version : GHS/SDS/04

Product Name : DAVANA OIL

14.1	Land Transport (ADR/RID/GGVSE)			
	UN Number	Not Regulated		
	DG Class	N/A		
	Packing Group	N/A		
	Proper Shipping Name	N/A		
	Classification code	N/A		
14.2	Sea Transport (IMDG-Code/GGVSE)			
	UN Number	Not Regulated		
	DG Class	N/A		
	Packing Group	N/A		
	Proper Shipping Name	N/A		
	Marine Pollutant	No		
14.3	Air Transport (ICAO-TI/IATA-DGR)			
	UN Number	Not Regulated		
	DG Class	N/A		
	Packing Group	N/A		

#### 14.4 ADR/IMDG/IATA Labels:

#### 14.5 Special precautions for users:

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse.

Prevent entry into drains, ground/surface water or sewerage system.

#### 14.6 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

N/A	
Other Information	
Custom Tariff Code	3301.29.6000
EmS Code	

# SECTION 15: Regulatory information

#### 15.1 EU regulations:

The product has been classified and marked in accordance with EU Directives/ Ordinance on Hazardous Materials.

15.2	Water Hazard Class (Germany)	:	3
15.3	Chemical safety Assessment	:	No data available
15.4	Other regulations, limitations and	d prohibiti	ive regulations
	EPA		No

LIA	NO
TSCA	Yes
DSL	Yes
Preposition 65	No

Comply with the rules and regulations of skin protection.

### SECTION 16: Other information



#### Version : GHS/SDS/04

#### Product Name : DAVANA OIL

Abbreviations used:	
EC	European Commission
EU	European Union
DG	Dangerous Goods
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Commercial chemical Substances
GHS	Globally Harmonized System
CMR	Carcinogen, Mutagen, Reprotoxic
PNEC	Predicted No Effect Concentration
EC50	Effective Concentration 50 percent
LC50	Lethal Concentration 50 percent
PBT	Persistent Bioaccumulative and Toxic
vPvB	Very Persistent Very Bioaccumulative
EWC	European Waste Catalogue
EmS	Emergency Medical Services
ADR	Transport of Dangerous Goods by Road
RID	International Carriage of Dangerous Goods by Rail
GGVSE	German Regulation on the Transport of Dangerous Goods by Road and Rail
MDG	International Maritime Dangerous Goods
ICAO-TI	International Civil Aviation Organization-Technical Instructions
IATA-DGR	International Air Transport Association-Dangerous Goods Regulation
WGK	Wassergefährdungsklassen
EPA	Environmental Protection Agency
TSCA	Toxic Substance Control Act

#### **Relevant Phares**

H227 Combustible liquid H316 Causes mild skin irritation H317 May cause an allergic skin reaction H402 Harmful to aquatic life H303 May be harmful if swallowed H401 Toxic to aquatic life H315 Causes skin irritation H412 Harmful to aquatic life with long lasting effects H401 Toxic to aquatic life

Recommended restriction of use : For industrial application only.

#### Quality Declaration

The information contained herein is based on the present state of our knowledge. It characterizes the product with regards to the appropriate safety precaution.

