

Product Name : TAGETES OIL

Print Date: 27-Mar-2023

SECTION 1: Identification of the substance/ mixture and of the Company / undertaking

1.1 Product Identifiers

Product Code	:	UL3000132
Product Name	:	TAGETES OIL
CAS No. (TSCA)	:	91770-75-1
EINECS	:	294-862-7

1.2 Relevant idetified uses of the substance or mixture and uses advided against No further relevant information available Application of the substance / preparation: Fragrance and Flavour application.

1.3 Manufacturer / Supplier Details:

Ultra International Limited 64/1, Site-IV, Industrial Area, Sahibabad, Ghaziabad, U.P. (India) Tel.: +91 120 4388500 Fax: +91 120 4374000 Email: ultra@ultrainternational.com * www.ultrainterntional.com

1.4 Information in case of emergency:

Mr. Prasenjit Mazumdar Ph.: +91 9810008844 Email : ultra@ultrainternational.com

SECTION 2 : Hazard Idetification

2.1 GHS Classification of the substance / preparation

Flam. Liq. 4	H227: Combustible liquid
Skin Mild Irrit. 3	H316: Causes mild skin irritation
Aquatic Acute 2	H401: Toxic to aquatic life

2.2 GHS Label Elements GHS Signal Word Warning

Hazard Pictograms

Hazard Determining components of Labeling

cis-beta-Ocimene; beta-Caryophyllene

Hazard Statements

H227Combustible liquidH316Causes mild skin irritationH401Toxic to aquatic life

Precautionary Statements

P103	Read label before use
P210	Keep away from heat/sparks/open flames/hot surfaces - No smoking
P302+350	IF ON SKIN Gently wash with soap and water
P501	Dispose of contents/container to (in accordance with local/ regional/ national/ international regul
P403+233+410	Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight

2.3 Other Hazard

The mixture contains no 'Substance of very hig concern' (SVHC) as stiplateed by the Europen ChemicalsAgency (ECHA)under Article 57 of the REACH Regulation 1907/2006/EC.The mixture does not meet the criteria for PBT/vPvB mixturesin compliance with Annex XIII of REACHRegulation1907/2006/EC.

No additional Hazard known if used properly.





Version : GHS/SDS/04

Print Date: 27-Mar-2023

	oduct Name : TAGETES OIL			
E	CTION 3: Composition / Inform	nation	of Ingredients	
1	<i>General characterisation : Su</i> TSCA CAS Number	bstanc :	91770-75-1	
	EINECS CAS Number	:	8016-84-0	
	Description	:	Tagetes minuta e	xt.
	EINECS Number	:	294-862-7	
.2	Dangerous components :			
	cis-beta-Ocimene(Cas No. 3338-	55-4)		: Acute Tox. 5 (Oral);H303 Skin Irrit. 2;H315 Aquatic Acute 1;H400 Aquatic Chronic 2;H411
	beta-Caryophyllene(Cas No. 87-4	4-5)		: Skin Sens. 1B;H317
4	Additional Informations : If available, exposure limits a	re liste	d in Section 8	
EC	TION 4: First AID Measures			
.1	Description of first aid measur	res		
1	General information: If health disorder happens, cal Immediately remove any clothi After inhalation: Supply fresh air and to be sure In case of unconsciousness pla After skin contact: Immediatel After eye contact: Rinse opene	l for m ng soil call fo ce pati y wash d eye f	ed by the product. r a doctor. ent stably in side po with water and soa for several minutes u	esition for transportation. Ip and rinse thoroughly. Inder running water.
	General information: If health disorder happens, cal Immediately remove any clothi After inhalation: Supply fresh air and to be sure In case of unconsciousness pla After skin contact: Immediatel After eye contact: Rinse opene After swallowing: Do not indu	l for m ng soil call fo ce pati y wash d eye f ce vom	ed by the product. r a doctor. ent stably in side po with water and soa or several minutes t iting; call for medic	esition for transportation. p and rinse thoroughly. under running water. eal help immediately.
	General information: If health disorder happens, cal Immediately remove any clothi After inhalation: Supply fresh air and to be sure In case of unconsciousness pla After skin contact: Immediatel After eye contact: Rinse opene	l for m ng soil call fo ce pati y wash d eye f ce vom	ed by the product. r a doctor. ent stably in side po with water and soa or several minutes v iting; call for medic s, both acute and de	esition for transportation. p and rinse thoroughly. under running water. eal help immediately.
.2	General information: If health disorder happens, cal Immediately remove any clothi After inhalation: Supply fresh air and to be sure In case of unconsciousness pla After skin contact: Immediately After eye contact: Rinse opene After swallowing: Do not indu Most important symptoms and	l for m ng soil call fo ce pati y wash d eye f ce vom effect n avail nedical	ed by the product. r a doctor. ent stably in side po with water and soa or several minutes i iting; call for medic s, both acute and de able. attention and spect	esition for transportation. up and rinse thoroughly. under running water. cal help immediately. clayed

Suitable extinguishing agents: CO2, alcohol resistant foam, powder, water spray. For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) Smoke and soot Do not use water with full jet to prevend fire spreading.

5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device. **Additional information** Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.





Version : GHS/SDS/04

Product Name : TAGETES OIL

SECTION 6: Accidental Release Measures

6.1 *Personal precautions, protective equipment and emergency procedures Follow safety measures in chapter 7 and 8.*

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Wipe up little amounts with absorbent material like cloth or pulp. Water and cleansing agent Absorb with incombustible liquid-binding material (sand, diatomite, universal binders). Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

Keep ignition source away, do not smoke and avoid flames. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid naked flames, sparking and sources of ignition.

Ensure that workrooms are adequately ventilated.

Hygiene measures:

Avoid contact with skin and eyes. Remove soiled or soaked clothing immediately. Wash off any contamination that gets onto the skin with plenty of water and soap, skin care. Do not eat, drink or smoke while working.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Temperatures between + 10 °C and + 40 °C Keep container tightly sealed. Keep container in a well ventilated place.

7.3. Specific end use(s)

No further relevant information available.



Print Date: 27-Mar-2023



Version : GHS/SDS/04

Product Name : TAGETES OIL

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

No data available.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Use personal protective equipment depending on concentration and amount of hazardous substance.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Respiratory protection:

Suitable respiratory protection: filter class A2 (brown colour).

Use the rules for application of respiratory protection systems.

Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the *Material of gloves*

degradation

Print Date: 27-Mar-2023

The election of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

> 480 minutes at layerthickness of 0,425 millimeter (Sol-Vex 37-695/Ansell).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

E.g. following product: Sol-Vex (37-695) from Ansell.

As protection from splashes gloves made of the following materials are suitable: PVC gloves



Tightly sealed goggles according to EN 166:2001

SECTION 9: Physical and chemical properties

General Information			
Form	:	Liquid	
Colour	:	Yellow to orangish yellow	
Odour	:	Characteristic	
Melting Point °C	:	Not Determined	
Boiling Point ° C	:	Not Determined	
Flash Point (Closed Cup) °C	:	69°C	
Specific Gravity/Relative Density	:	0.837 - 0.897 @25°C	
Refractive Index	:	1.457 - 1.516 @20°C	
Optical Rotation	:	Not Determined	
Vapour Density	:	Not Determined	
Vapour Pressure	:	Not Determined	
Solubility:			
Water	:	Insoluble	
Alcohol	:	Soluble	





Version : GHS/SDS/04

Product Name : TAGETES OIL

:	No Data Available
:	No Data Available
:	No Data Available
:	Not Determined
	: : : :

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerus reactions known

10.2. Chemical stability

The product is chemically stable.

10.3 Thermal decomposition / conditions to be avoided:

No decomposition if used according t the specifications or under recommended conditions of use.

10.4 Possibility of hazardous reactions

Avoid important temperature changes and humid environments. Product is not selfigniting; but in case of unpropitious storing conditions (air admission, heat accumulation) selfignition is possible for moistened solids (e.g. cloth, pulp, filter panels, binder). May react violently with oxidising agents.

10. 5 Conditions to avoid No further relevant information available.

10.6 Incompatible materials: No further relevant information available.

10.7 Hazardous decomposition products:

No dangerous decomposition products expected by intended use.





Version : GHS/SDS/04

Product Name : TAGETES OIL

Print Date: 27-Mar-2023

Prod	luct Name : TAGETES OIL	
SECT	TION 11: Toxicological information	
11.1	Toxicological Information Acute	
	Oral Inhalation	3700 mg/kg No Data Available
1.2	Skin Skin Corrosion/skin irritation	>5000 mg/kg
1.3	No data available Eye damage/ eye irritation	
1.4	No data available Respiratory or skin sensitisation No data available	
1.5	<i>Germ cell mutagenicity</i> No data available	
1.6	Carcinogeity No data available	
1.7	<i>Toxicty for reproduction</i> No data available	
1.8	Specific Target Organ Toxicity: Single No data available	exposure
1.9	Specific Target Organ Toxicity: Repea No data available	ted exposure
1.10	Aspiration Hazard No data available	
1.11	<i>Exposure Limits</i> No data available	
Note	: There is a blanket recommendation of	10 mg/m3 for inspirable dusts or mists when limits have not otherwise been established.
SEC	TION 12: Ecological information	
12.1	Toxicity Do not leave the product, even diluted	or in great quantity, penetrate the ground water, water or the drains
12.2	Persistence and degradability	Not Determined
12.3	Mobility in Soil	Not Determined
12.4	Results of PBT and vPvB assessment	No Data Available

SECTION 13: Disposal considerations

Other adverse effects

13.1 Waste treatment methods:

12.5

 Product/packaging disposal

 Handle in accordance with official provisions

 Waste treatment options

 Recycling is preferred to disposal or burning

 Disposal conditions

 Dispose of in accordance with all federal, state and local environmental regulations.

Not Determined

13.2 Recommendations:

Empty contaminated packing thoroughly as they may be recycled

SECTION 14: Transport information





Version : GHS/SDS/04

Product Name : TAGETES OIL

14.1	Land Transport (ADR/RID/GGVSE)					
	UN Number	Not Regulated				
	DG Class	N/A				
	Packing Group	N/A				
	Proper Shipping Name	N/A				
	Classification code	N/A				
14.2	Sea Transport (IMDG-Code/GGVSE)					
	UN Number	Not Regulated				
	DG Class	N/A				
	Packing Group	N/A				
	Proper Shipping Name	N/A				
	Marine Pollutant	No				
14.3	Air Transport (ICAO-TI/IATA-DGR)					
	UN Number	Not Regulated				
	DG Class	N/A				
	Packing Group	N/A				

14.4 ADR/IMDG/IATA Labels:

14.5 Special precautions for users:

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse.

Prevent entry into drains, ground/surface water or sewerage system.

14.6 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

N/A	
Other Information	
Custom Tariff Code	3301.29.9000
EmS Code	

SECTION 15: Regulatory information

15.1 EU regulations:

The product has been classified and marked in accordance with EU Directives/ Ordinance on Hazardous Materials.

15.2	Water Hazard Class (Germany)	:	3
15.3	Chemical safety Assessment	:	No data available
15.4	Other regulations, limitations and	d prohibiti	ive regulations
	EPA		No

D 111	110
TSCA	Yes
DSL	Yes
Preposition 65	No

Comply with the rules and regulations of skin protection.

SECTION 16: Other information



Version : GHS/SDS/04

Product Name : TAGETES OIL

Abbreviations used:				
EC	European Commission			
EU	European Union			
DG	Dangerous Goods			
CAS	Chemical Abstract Service			
EINECS	European Inventory of Existing Commercial chemical Substances			
GHS	Globally Harmonized System			
CMR	Carcinogen, Mutagen, Reprotoxic			
PNEC	Predicted No Effect Concentration			
EC50	Effective Concentration 50 percent			
LC50	Lethal Concentration 50 percent			
PBT	Persistent Bioaccumulative and Toxic			
vPvB	Very Persistent Very Bioaccumulative			
EWC	European Waste Catalogue			
EmS	Emergency Medical Services			
ADR	Transport of Dangerous Goods by Road			
RID	International Carriage of Dangerous Goods by Rail			
GGVSE	German Regulation on the Transport of Dangerous Goods by Road and Rail			
MDG	International Maritime Dangerous Goods			
ICAO-TI	International Civil Aviation Organization-Technical Instructions			
IATA-DGR	International Air Transport Association-Dangerous Goods Regulation			
WGK	Wassergefährdungsklassen			
EPA	Environmental Protection Agency			
TSCA	Toxic Substance Control Act			

Relevant Phares

H227 Combustible liquid H316 Causes mild skin irritation H401 Toxic to aquatic life H303 May be harmful if swallowed H315 Causes skin irritation H400 Very toxic to aquatic life H411 Toxic to aquatic life with long lasting effects H317 May cause an allergic skin reaction

Recommended restriction of use : For industrial application only.

Quality Declaration

The information contained herein is based on the present state of our knowledge. It characterizes the product with regards to the appropriate safety precaution.

